

**cohen&grigsby**  
*progressive law.*  
11 STANWIX STREET, 15<sup>th</sup> FLOOR  
PITTSBURGH, PENNSYLVANIA 15222-1319  
TELEPHONE 412.297.4900  
FAX 412.209.0672

*Please enter this  
Amendment.  
Thank you  
VB  
04/15/2005*

**TO:** Vy Q. Bui, Patent Examiner  
US PTO/Art Unit 3731

**FAX MACHINE NO:** 571-273-4692

**FROM:** Alicia M. Passerin

**PHONE:** 412-297-4734

**DATE:** April 15, 2005

**Total Number of Pages, Including Cover Page:** 11

**Copies to:**

<u>Name</u>	<u>Firm/Company</u>	<u>Fax Number</u>

**NOTES:** U.S. Patent Application Serial No. 10/037,817  
Filed: January 3, 2002  
Entitled: Exterior Stent and Its Use  
Our Reference: 02-129

**Client/Matter No.: 9103.001**

**IF YOU DO NOT RECEIVE ALL OF THE PAGES, PLEASE CALL 412/297-4900**

The information contained in this transmission is confidential and may be attorney-client privileged. It is intended only for the use of the individual or entity named above. Unauthorized use, disclosure or copying of the information contained in this transmission is strictly prohibited and may be unlawful. If you have received this communication in error, please immediately notify us at (412) 297-4900 and return the original message to us at the above address via the United States Postal Service. We will reimburse any costs you incur in notifying and returning this message to us. Thank you.



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE****In re Application of:****Sidney Braginsky****Serial No. 10/037,817****Filed: January 3, 2002****Art Unit: 3731****Patent Examiner: Bui, Vy Q.****Customer No. 30058****Our Ref: 02-129****IMPROVED EXTERIOR STENT  
AND ITS USE****April 15, 2005****AMENDMENT AND RESPONSE**

Pursuant to 37 C.F.R. § 1.133(b) and M.P.E.P. § 713.04, the Applicant provides the following Remarks Following The Interview concerning the above-identified application.

**Amendments to the Claims** are reflected in the **Listing of the Claims**, which begins on page 2 of this Amendment and Response.

**Remarks** begin on page 8 of this paper.